

PASCO COUNTY

PLANNING & DEVELOPMENT, ZONING & INTAKE

CHECKLIST FOR TEMPORARY TENT (FIREWORKS SALES ONLY)

****PLEASE ACKNOWLEDGE BELOW YOUR SUBMITTAL BY CHECKING BELOW****

1. _____ PASCO COUNTY BUILDING PERMIT APPLICATION COMPLETED. IF EXISTING ELECTRICAL SERVICE IS TO BE PROVIDED TO TENT, SIGN THE APPLICATION ACCORDINGLY. IF NEW ELECTRIC SERVICE, HAVE AN ELECTRICAL CONTRACTOR PERMIT THE NEW SERVICE
2. _____ TENT DIAGRAM SHOWING A MINIMUM OF THREE EXITS 44 INCHES IN WIDTH
3. _____ COPY OF FLAME CERTIFICATE DENOTING FABRIC AND SIZE OF TENT

I HAVE CHECKED ABOVE AND ALL HAVE BEEN INCLUDED IN THIS SUBMITTAL PACKAGE

INITIAL _____ DATE: ____/____/____

SETBACKS AND CONDITIONS FOR TENTS FIREWORKS SALES ONLY

- TENTS SHALL NOT BE ERECTED LESS THAN 20 FEET FROM A BUILDING OR 10 FEET FROM ANOTHER TENT
- GENERATORS, FUEL CONTAINERS AND STORAGE SHALL BE A MINIMUM OF 20 FEET FROM ANY TENT
- VEHICLES SHALL NOT BE PARKED WITHIN 10 FEET OF THE TENT
- THERE SHALL BE NO OBSTRUCTIONS SUCH AS FENCING, SIGNAGE, ROPE ETC. TO THE REQUIRED ACCESS AREAS
- GROUND VEGETATION SHALL BE KEPT CUT LOW AND MAINTAINED DURING TENT USAGE. GRASS CLIPPINGS SHALL BE REMOVED WHEN CUT. THE ENTIRE AREA COVERED BY THE TENT AND A MINIMUM OF (30) THIRTY FEET OUTSIDE THE TENT SHALL BE INCLUDED
- POWER CORDS SHALL BE INSTALLED IN A SAFE MANNER AND COMPLY WITH APPLICABLE CODES
- CERTIFICATE OF FLAMMABILITY MUST BE PERMANENTLY AFFIXED TO ALL TENT PANELS
- APPROVED AND CERTIFIED FIRE EXTINGUISHERS SHALL BE ON SITE AND MOUNTED IN A BRACKET DESIGNED FOR THE EXTINGUISHER. EXTINGUISHERS SHALL BE A MINIMUM OF 2A10BC AND BE LOCATED LESS THAN 35 FEET TRAVEL DISTANCE APART. AT LEAST ONE EXTINGUISHER SHALL BE OF THE PRESSURIZED WATER TYPE. ALL SALES PERSONNEL SHALL BE TRAINED IN THE PROPER USE OF FIRE EXTINGUISHERS AND SHALL RECEIVE SAFETY TRAINING RELATED TO THE PERFORMANCE OF THEIR DUTIES
- APPROVED EMERGENCY LIGHTING IS REQUIRED WITH BATTERY BACK-UP IF THE TENT WILL BE OPERATING AFTER DARK
- APPROVED NO SMOKING SIGNS SHALL BE PLACED AT EACH ENTRANCE AND INSIDE TENT. THE SIGNS SHALL READ "FIREWORKS – NO SMOKING" - MINIMUM OF 2 INCH LETTERS
- A SIGN READING "NO FIREWORKS DISCHARGE WITHIN 300 FEET" SHALL BE DISPLAYED ON THE EXTERIOR OF EACH SIDE OF THE TENT-MINIMUM OF 4 INCH LETTERS ON A CONTRASTING BACKGROUND
- NO FIREWORKS WILL BE DISPLAYED WITHIN 5 FEET OF THE ENTRANCES/EXITS OF THE TENT
- A MINIMUM AISLE WIDTH INSIDE THE TENT SHALL BE 48 INCHES; NO DEAD-END AISLES ARE ALLOWED

- ENFORCEMENT SHALL BE BY ISSUANCE OF THE TENT PERMIT CONDITIONED ON THE COMPLIANCE OF THESE CONDITIONS.
- IF ANY OF THESE CONDITIONS ARE NOT MET, THE PERMIT WILL BE SUSPENDED, REVOKED OR OTHER ACTION TAKEN TO MITIGATE THE RISK TO LIFE/SAFETY
- WHEN APPROVED, A ZONING PERMIT WILL BE ISSUED AND A BUILDING PERMIT WILL BE ISSUED FOR THE ERECTION OF EACH TENT. BOTH TYPES OF PERMITS ARE TO BE POSTED ON THE SITE, WEATHER PROOFED WHEN NEEDED
- PERMIT FEES TO BE PAID AT THE TIME OF ISSUANCE OF THE PERMIT. FOR FEES, PLEASE SEE THE TEMPORARY EVENT PERMIT INFORMATION SHEET
- AN INSPECTION OF THE TENT INSTALLATION IS REQUIRED BY THE FIRE MARSHALL PRIOR TO OPERATION OF THE TENT. BUILDING INSPECTIONS IS TO BE CALLED AT (727) 847-8127 TO SCHEDULE THE TIME

IN SUMMARY:

I HAVE CHECKED ABOVE, READ AND UNDERSTAND SETBACKS AND CONDITIONS AND WILL COMPLY WITH ALL REQUIRED CONDITIONS.

I UNDERSTAND THAT SHOULD I FAIL TO COMPLY WITH ANY CONDITION, A CITATION FOR EACH VIOLATION WILL BE ISSUED FOR UP TO \$500.00 EACH, WITHOUT FURTHER WARNING OR NOTICE

SIGNATURE _____ DATE ____/____/____